

Number #: 215-67

Name: Sachet Fine Camel Pressed Eyeshadow

Category: Trends > Spring/Summer

Date: 04/25/2022



No	Phase	Trade Name	INCI	%
1	A	Talc	Dimethicone, Talc, Magnesium Myristate	17.19
2	A	Impact Mica LL3	Mica, Lauroyl Lysine	14.46
3	A	Biluna 2600 UVS	Bismuth Oxychloride, Magnesium Stearate, PEG-10 Dimethicone	4.80
4	A	Micropoly 250S	Polyethylene	4.00
5	A	Zinc Stearate	Zinc Stearate	4.00
6	B	Sachet Fine Camel	Synthetic Fluorophlogopite, Titanium Dioxide (CI 77891), Iron Oxide (CI 77491)	43.20
7	C	Vitamin E	Tocopheryl Acetate	0.75
8	C	NOO Crystal	Octyldodecyl Oleate, Tocopheryl Acetate	4.50
9	C	Beeswax SP-422P	Beeswax	0.50
10	C	Wickenol 171	Ethylhexyl hydroxystearate	4.50
11	C	Jeecide Phenoxy	Phenoxyethanol	1.50
12	C	Propyl Paraben	Propyl Paraben	0.15
13	C	Methyl Paraben	Methyl Paraben	0.45
Total				100%
Procedure		Premix Phase A in osterizer blender and mix thoroughly until well blended. Add phase B to A and gently mix for 1 minute. Preweigh phase C into glass beaker and heat to 70°C and stir until all is dissolved and uniform. Add phase C to A and B and blend for one minute. Scrape down sides and repeat blending process. Press into desired eyeshadow pans at 1050 psi for 5 seconds.		

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.