



**sandream
specialties**

A VIVIFY COMPANY

Formulary

October 2021 Newsletter

Product Description: Whitening Serum

Phase	Trade Name	INCI Name	Supplier	Formula #
				216-27
A	DI Water	DI Water	LabChem	87.60
	Disodium EDTA	Disodium EDTA	Sandream Specialties	0.10
	Glycerin	Glycerin	Jeen	5.00
	Raspberry Ketone Glucoside (RKG)	Raspberry Ketone Glucoside	Sandream Specialties	1.00
	Butylene Glycol	Butylene Glycol	Formulator Sample Shop	3.00
B	Carbopol 940	Carbomer	Lubrizol	0.50
C	AMPD Ultra PC	Aminomethyl Propanol	ANGUS Chemical Company	0.3
D	Euxyl PE 9010	Phenoxyethanol, ethylhexylglycerin	Schulke	1.00
E	Dream Colors AC-A-Blue White K07	Titanium dioxide CI77891, Mannitol, CI 74160, Talc, Silica, Bis-PEG-18 Methyl Ether Dimethyl Silane, Polyvinyl alcohol, Hydroxypropyl methylcellulose, Isopropyl Titanium Triisostearate, Mica	Sandream Specialties	0.5
	Dream Colors AC-A Gold White K07	Titanium dioxide CI 77891, Mannitol, CI 77491, Talc, Silica, Bis-PEG-18 Methyl Ether Dimethyl Silane, Polyvinyl alcohol, Hydroxypropyl methylcellulose, Isopropyl Titanium Triisostearate, Mica	Sandream Specialties	0.5
	Dream Colors AC-A Pink White K07	Titanium dioxide CI77891, Mannitol, CI 12490, Talc, Silica, Bis-PEG-18 Methyl Ether Dimethyl Silane, Polyvinyl alcohol, Hydroxypropyl methylcellulose, Isopropyl Titanium Triisostearate, Mica	Sandream Specialties	0.5
TOTAL PERCENT				100.00

Procedure: Weigh all of phase A into glass beaker and mix for 15 minutes at RT. Add phase B and mix slowly at RT until it swells. Once it swells heat to 30C and mix until everything dissolves. Add C once A and B are dissolved. Once fully homogeneous add D and mix until fully incorporated. Add Phase E by hand slowly until homogenous.

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Impact LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.