

Number #: 217-02

Name: Sachet Amber Gold + Sachet Sparkling Amber Pressed Eyeshadow

Category: Newsletters

Date: 07/05/2022



No	Phase	Trade Name	INCI	%
1	A	Talc	Dimethicone, Talc, Magnesium Myristate	17.19
2	A	Impact Mica LL3	Mica, Lauroyl Lysine	14.46
3	A	Biluna 2600 UVS	Bismuth Oxychloride, Magnesium Stearate, PEG-10 Dimethicone	4.80
4	A	Micropoly 250S	Polyethylene	4.00
5	A	Zinc Stearate	Zinc Stearate	4.00
6	B	Sachet Amber Gold	Synthetic Fluorphlogopite, Iron Oxides	36.72
7	B	Sachet Sparkling Amber	Synthetic Fluorphlogopite, Iron Oxides	6.48
8	C	Vitamin E	Tocopheryl Acetate	0.75
9	C	NOO Crystal	Octyldodecyl Oleate, Tocopheryl Acetate	4.50
10	C	Beeswax SP-422P	Beeswax	0.50
11	C	Wickenol 171	Ethylhexyl hydroxystearate	4.50
12	C	Jeecide Phenoxy	Phenoxyethanol	1.50
13	C	Propyl Paraben	Propyl Paraben	0.15
14	C	Methyl Paraben	Methyl Paraben	0.45
Total				100%
Procedure	Premix Phase A in osterizer blender and mix thoroughly until well blended. Add phase B to A and gently mix for 1 minute. Prewrite phase C into glass beaker and heat to 70°C and stir until all is dissolved and uniform. Add phase C to A and B and blend for one minute. Scrape down sides and repeat blending process. Press into desired eyeshadow pans at 900 psi for 3 seconds.			

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.