

Number #: 215-57

Name: Luminous Finishing Powder

Category: Face Makeup > Powder

Date: 02/02/2022



No	Phase	Trade Name	INCI	%
1	A	Talc	Dimethicone, Talc, Magnesium Myristate	43.80
2	A	SanMica 713 AS	Mica, TES	25.83
3	A	Zinc Stearate	Zinc Stearate	3.00
4	A	SanBornit 408	Boron Nitride	5.40
5	A	SanSilica 610 AS	Silica, TES	2.75
6	A	PearlPure Fine Powder	Pearl Powder	5.00
7	A	SDI Yellow IO AS	Iron Oxides, TES	2.10
8	A	SDI Red IO AS	Iron Oxides, TES	0.60
9	A	SDI Black IO AS	Iron Oxides, TES	0.30
10	B	Optique DP Super Gold	Titanium Dioxide, Mica, Tin Oxide	1.50
11	C	Cosmol 222	Diisostearyl Malate	3.23
12	C	NF White Beeswax	Beeswax	0.18
13	C	NOO Crystal	Octyldodecyl Oleate, Tocopheryl Acetate	5.23
14	C	Sensiva SC-10	Caprylyl Glycol, Ethylhexylglycerin	1.08
Total				100%
Procedure	Premix phase A in osterizer blender and mix thoroughly until well blended. Incorporate extra mix time to completely pulverize iron oxides. Add phase B and mix for 30 seconds. Premix phase C in a beaker until beeswax is melted. Add phase C to phase AB and blend for 1 minute. Scrape down sides and repeat blending process. Press into desired face powder pans. 1050 psi, 5 seconds			

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties LLC. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.